# Coding the Twitter Sphere:

Humans and Machines Learning Together

Dr. Stuart Shulman @stuartwshulman stu@texifter.com

## Acknowledgements

The National Science Foundation

Mark J. Hoy

#### Conflict of Interest Disclosure

I am the sole manager of Texifter

We sell Discover Text licenses

We sell Gnip data licenses

# A Master Metaphor: Sifter 🐯





#### An Open Source Kernel





Maintained by texifter in a FISMA-compliant environment

register for a free account forgot password?

CAT Features Praise for CAT

login

Home | About QDAP | About CAT | PCAT | Terms of Service | Privacy Statement | CAT Help Wiki | Contact Us

What CAT Does

Welcome to the Coding Analysis Toolkit (CAT)

CAT is a free service of the Qualitative Data Analysis Program (QDAP), and hosted by the University Center for Social and Urban Research, at the University of Pittsburgh, and QDAP-UMass, in the College of Social and Behavioral Sciences, at the University of Massachusetts Amherst. CAT was the 2008 winner of the "Best Research Software" award from the organized section on Information Technology & Politics in the American Political Science Association.

For the CAT Quick Start Guide, you can view the PDF file CAT Quickstart Guide or watch the CAT Tutorial - February 23, 2009

May 5, 2010 - CAT is now an open source project! You can host your own version of CAT from the project source code at:

http://sourceforge.net/projects/catoolkit/

Read about the latest innovations in text analytics on the Texifter blog or via a specially curated @scoopit page

#### **CAT Statistics**

There are currently **5,936** primary CAT accounts and **1,014** sub-accounts. CAT users have uploaded 5,793 coded datasets and 8,425 raw datasets. They have coded a total of **1,482,741** items and adjudicators have made **164,177** validation choices in CAT.











What can you do in CAT?

Efficiently code raw text data sets Annotate coding with shared memos Manage team coding permissions via the Web Create unlimited collaborator sub-accounts Assign multiple coders to specific tasks Easily measure inter-rater reliability Adjudicate valid & invalid coder decisions Report validity by dataset, code or coder Export coding in RTF, CSV or XML format Archive or share completed projects

#### What file types can CAT import?

Plain text HTML CAT XML Merged ATLAS.ti coding

#### CAT Resources

Raw Data Preparation Guide ATLAS.ti Upload Preparation

Have you tried DiscoverText? Featuring the Facebook Graph & Twitter APIs

## Three Primary Tasks in CAT

#### What can you do in CAT?

Annotate coding with shared memos
Manage team coding permissions via the Web
Create unlimited collaborator sub-accounts
Assign multiple coders to specific tasks
Easily measure inter-rater reliability
Adjudicate valid & invalid coder decisions
Report validity by dataset, code or coder
Export coding in RTF, CSV or XML format
Archive or share completed projects

#### Classification of Text

A 2500 year-old problem

Plato argued it would be frustrating

It still is...

#### Grimmer & Stewart "Text as Data"

Political Analysis (2013)

Volume is a problem for scholars

Coders are expensive

Groups struggle to accurately label text at scale

Validation of both humans and machines is "essential"

Some models are easier to validate than others

All models are wrong

Automated models enhance/amplify, but don't replace humans

There is no one right way to do this

"Validate, validate, validate"

"What should be avoided then, is the blind use of any method without a validation step."

#### Cocerrank (Patent Pending)

Coder:

# Datasets:

# Annotations: 7676

# Validations: 351

23

Display

# Datasets: 31
# Annotations: 15480
# Validations: 313
% Correctness: 96.49 %

% Correctness: 96.49 %

Coder: 

Display

Display

Display

Display

Display

Display

Display

Display

Display

Annotations: 18300

Walidations: 2790

Coder: 

Display

Walidations: 276

Correctness: 42.75 %

Correctness: 42.75 %

# Display


# Datasets: 109


# Annotations: 84793


# Validations: 7202

% Correctness: 91.53 %

## Three Important Books








## One Particularly Important Idea

### Crowdsourcing brings widely distributed wisdom to process of text analysis



"This is really the biggest paradigm shift in innovation since the Industrial Revolution"

- MIT professor Eric von Hippel, specialist in innovation management

# Five Pillars of Text Analytics

Search

Filter

Code

Cluster

Classify

You can execute all five using DT

#### Pillar #1: Search

... that shutting down traffic was his "favorite thing about being Governor" - http://t ...er affected E.Coast traffic. Very bad. Obama HHS & IRS abuse of power affects millions natio ...not called over GWB traffic - http://t.co/0FMHGnrBwL http://t.c ...erage of Christie's Traffic Scandal Than in Last Six Months on IRS http://t.co/FtvB62n7G ...er affected E.Coast traffic. Very bad. Obama HHS & IRS abuse of power affects millions natio ...ee them languish in traffic, and hear the lamentations of their ...hristie ordered the traffic jam. How do u feel? ...KE ON GOV CHRISTIE? TRAFFIC JAM APOLOGY? CHRISTIE IS TOOOOOOO FAT!! FRACK THE FAT' CABOT OIL& GA ...logan: Think of the traffic studies I can do with the presidential motorcade. #bridgegat ...t knowing about the traffic is like Obama not knowing about Benghazi is he giving O a pa ...ave been broken' in traffic scandal: http://t.co/KZmG9F8pp ...ave been broken' in traffic scandal: http://t.co/c3kMAWLyg ...ave been broken' in traffic scandal: http://t.co/SuSBcnRJ3 ...ave been broken' in traffic scandal: http://t.co/gfoT5WPc1 ...not called over GWB traffic http://t.co/wSHmVwymZS #bridgegat ...of blocking so much traffic it's Christie. (Pause) He's a very large man ...not called over GWB traffic http://t.co/wSHmVwymZS #bridgegat

# Search for Negative Cases



#### Agatha Christie

Writer

Dame Agatha Mary Clarissa Christie, DBE was an English crime writer of novels, short stories, and plays. Wikipedia

Born: September 15, 1890, Torquay, United Kingdom

Died: January 12, 1976, Wallingford, Oxfordshire, United

Kingdom

#### Defined Search (Multi-term)




#### Pillar #2: Filters

#### Search and Browse Dataset Relevant Tweets? (Dataset) Showing 1 to 62 of 62 total Filters applied Add to Bucket: New | Existing | Selected Advanced filters Search query: Defined search: -- use pre-defined search - 💠 Filter by date: to Filter by meta: created\_at: (Date) Add filter \*) **(** = Filter by annotations: Add filter Has File Annotations Filter by coding: Add filter (all coded items) Filter by classification: Yes, Chris Christie Add filter Equals **(** Set Classification Bounds: set classification boundary filter Selected filters: No, not Christie Remove Winning (items not coded) Remove close

search


#### Another Common Filter






#### TopMeta Discovery ×

#### Top values for: favourites\_count:




## Pillar#3: Human Coding

# Annotation enhances your analysis by applying human interpretation to machine results



# Keystroke Coding is Fast





# Coding Off a List is Faster



# Data Cleaning is Fundamental



This unit is coded with: No, off topic

Edit Coding



# Pillar #4: Clustering

Archive name: Christie - Twitter API

Create bucket from clusters

Return to archive details

Create dataset from clusters

Near-duplicates (1839 clusters)



Similar Clusters	Cluster Options
<b>(214)</b>	create bucket   create dataset   rename cluster
<b>(157)</b>	create bucket   create dataset   rename cluster
<b>(130)</b>	create bucket   create dataset   rename cluster
<b>(94)</b>	create bucket   create dataset   rename cluster
<b>(78)</b>	create bucket   create dataset   rename cluster
<b>(77)</b>	create bucket   create dataset   rename cluster
(66)	create bucket   create dataset   rename cluster
(65)	create bucket   create dataset   rename cluster
(60)	create bucket   create dataset   rename cluster

#### Search and Browse Archive Cluster

Christie - Twitter API / (Archive Cluster)

Showing 1 to 100 of 214 total

Advanced filters




Add to Bucket: New | Existing | Selected



- Making federal case against Christie on lane closures tough: expert New York Daily News: New http://t.co/JxCyCH7Md6
- Making federal case against Christie on lane closures tough: expert New York Daily News: New http://t.co/dJUB5m4tXT
- Making federal case against Christie on lane closures tough: expert New York Daily News: New http://t.co/FVsGYQ1Ev5
- Making federal case against Christie on lane closures tough: expert New York Daily News: New http://t.co/mCMVRriPwa
- Making federal case against Christie on lane closures tough: expert New York Daily News: New http://t.co/T2PoA4f6xN
- Making federal case against Christie on lane closures tough: expert New York Daily News: New http://t.co/gcpSVKYOWQ
- Making federal case against Christie on lane closures tough: expert New York Daily News: New http://t.co/9Uv8D6pLX7
- Making federal case against Christie on lane closures tough: expert New York Daily News: New http://t.co/aYi6SWUFzT

# Latent Dirichlet Allocation (LDA) Topic Models



#### LDA on the Christie Data

Topic 1: christie, sandy, christies, funds, relief, feds, investigating, daily, gov. feminized

Topic 2: with, daniel, didnt, after, murder, time, agatha, death, former, mayor

Topic 3: bridge, about, traffic, more, scandal, chris, nj. some, just, says

Topic 4: like, gop, bridgegate, what, 2016, know, now, will, bully, dont


Topic 5: obama, benghazi, impeachment, dem, have, probe, lawmaker, floats, possibility, gwb

Topic 6: jersey, over, stages, still, aides, grief, bogus, hes, news, subpoenas

Topic 7: rove, closures, karl, york, while, federal, party, tea, governor, president

Topic 8: irs, political, been, show, republicans, media, get, laws, word, scandals

## Pillar#5: Machine-Learning



What Humans Do Best

What Computers Do Best

#### Humans and machines learning together



#### Create a Dataset to Code

Any archive or bucket

Use the random sampling tool

Standard: All coders get all items

Triage: Coders get next uncoded item

# Select from Three Coding Styles

Default: Mutually Exclusive Codes

Option 1: Non-Mutually Exclusive Codes

Option 2: User-Defined Codes (Grounded Theory)

## Assign Peers to Code a Dataset

How many coders?

How many items need to be coded?

How many test or training sets?

There are no cookbook answers

## Look at Inter-Rater Reliability

Highly reliable coding (easy tasks)

Unreliable coding (interesting tasks)

If humans can't, neither can machines

Some tasks better suited for machines

## Adjudication: The Secret Sauce

Expert review or consensus process

Invalidate false positives

Identify strong and weak coders

Exclude false positives from training sets





#### Use Classification Scores as Filters


Iteration plays a critical role

Train, classify, filter

Repeat until the model is trusted

Each round weeds out false positives

# Classifier Histograms: More Filtering



# /\sifter

Search and retrieve data from the complete history of Twitter

http://sifter.texifter.com



#### Rules & Filtering

Before the PowerTrack API will deliver activities to you through the streaming connection, it must be configured with a set of rules. These rules are applied across the firehose of the data source, and with those activities that match being sent through your API connection.

Put simply, PowerTrack rules allow you to build a list of requirements for the data that will be sent through your stream. For example:

I want activities where the text mentions the keyword "gnip"

Or, for a more realistic example:

I want activities which meet the following requirements

- · contain any of these keywords: gnip, data, social
- and contain any of these keywords: love, hate, like, dislike
- · and which contain a link
- but which don't contain any of these keywords: ping, gnop

The above requirements can be translated into a PowerTrack rule:

(gnip OR data OR social) (love OR hate OR like OR dislike) has:links -(ping OR gnop)

#### **Operators**

In the example above, the keywords and 'has:links' are Operators. Operators tell PowerTrack what types of activities to deliver. For example, the keyword operator 'gnip' above tells PowerTrack that an activity must contain a tokenized keyword in the text, while the has:links operator adds a requirement that the activity contain a URL in its body.

Operators may be either positive or negative.

## Thanks for Listening

Dr. Stuart Shulman @stuartwshulman stu@texifter.com discovertext.com sifter texifter com